

PLASPLUGS[®]

Wall Fixings

Hollow Wall Fixings

Solid Wall Fixings

All-in-One Fixings

Special Use Fixings

...Make it easy



2024/5 - EDITION

Fixings Range

Plasplugs offers a comprehensive range of plastic fixing solutions for installing anything from a picture to a coat rack. The range incorporates consumer friendly problem solvers and trade pack offers.

Using the latest technology, the best selling range is suitable for a variety of wall types offering key lines, market leading informative packaging and excellent product support. The innovative features of our uniquely designed products provide reliable and consistent interior and exterior fixing solutions with superior fixing technology.

Choose the right fixing in 3 easy steps...

Select the correct colour label based on your substrate

Hollow Wall Plasterboard, Cavity Wall & Partition Wall 	All-In-One Plasterboard, Concrete & Brick 
Solid Wall Stone, Brick & Concrete 	Special Use Thermal Block & Hollow Door 


1 What are you fixing it to?



2 What strength of fixing do you need?



3 What drill & screw size do you require?



Key Symbols

1 Drill size guide



2 Screw size guide




3 Weight guide



4 Clip Pack Option



5 Barrel length




Contents

Page

Hollow Wall


Plasterboard, Cavity Wall & Partition Wall



4 - 9

Solid Wall


Stone, Brick & Concrete



10 - 15

All-In-One


Plasterboard, Concrete & Brick



16 - 17

Special Use

Thermal Block & Hollow Door




18 - 20



Hollow Wall



For use in: Plasterboard, Cavity Wall & Partition Wall



- Hollow walls and ceilings may be surfaced with lath and plaster (pre-1920's houses) or plasterboard
- Identify which type you have by drilling a test hole and examining the drill dust. (Use a HSS drill bit for hollow walls)
- Grey sandy dust (and possibly sawdust if you hit a lath) shows you have lath and plaster walls and ceilings
- Fine white dust and paper shreds on the drill bit shows you have plasterboard

- On external walls with hollow dry lining, drill through the plaster or plasterboard lining until you hit solid masonry
- Withdraw the drill and measure off the cavity depth. Some hollow wall fixings will not work if the cavity is less than about 25mm deep


A wide range for a variety of uses




Unique and innovative fixings

Standard Plasterboard

For Hollow Wall Use



Fixing



ORIGINALS™



Typical applications:


Lightweight wall hooks, smoke alarms, switches

For general work into plasterboard, these fixings are just made for the job. With a longer grip barrel on this special pack, they're also ideal for plasterboard that's skim plastered or decorated. Plus, a depth gauge is included, to check the cavity depth before you fix.

Plasterboard Fixings

Key Features


Easy to use fixing for general use in plasterboard



How it Works

It has a longer fixing barrel...


...for a longer expanding grip



7mm HSS

**No.8
4mm**

**REGULAR
DUTY**




Product Pack Options

- SCF552CC Standard Plasterboard Fixings Clip Pack x 50, includes Drill and Screw Gauge
- CF104 Standard Plasterboard Fixings x 10
- CF111 Standard Plasterboard Fixings x 25
- HWRS010 Standard Plasterboard Fixings and Screws x 10
- HWRS025 Standard Plasterboard Fixings and Screws x 20
- HWR100 Standard Plasterboard Fixings x 100
- HWR500 Standard Plasterboard Fixings x 500




Multi-Size Plasterboard

For Hollow Wall Use



Fixings - 5 Sizes - For different wall thicknesses

7mm, 12mm, 15mm, 17mm, 22mm




Typical applications:

Lightweight wall hooks/brackets, smoke alarms, bathroom accessories (especially over tiles)

Plasterboard walls vary in thickness because boards come in different gauges and wall coverings, like tiles, also make walls deeper. Multi-Size has the answer, with five sizes in one pack. Plus, a depth gauge is included to measure the wall and match a fixing.



Multi-Size Plasterboard fixings come in 5 different sizes to accommodate various wall thicknesses. 6 fixings for 7mm walls, 6 fixings for 12mm walls, 24 fixings for 15mm walls, 8 fixings for 17mm walls, 6 fixings for 22mm walls.

Multi-Size Fixings



How it Works - In 3 Easy Steps


- 1 Drill hole using a 7mm HSS drill bit where you want to place the fixing
- 2 Insert depth gauge into hole to determine the thickness of the wall. Depth of wall will vary due to plasterboard sizes and wall covering thickness's
- 3 Match the depth gauge to the corresponding fixing size and insert for a perfect fit!



7mm HSS


No.8
4mm

REGULAR
DUTY




Product Pack Options

MNF555CC Multi-Size Plasterboard Fixings Clip Pack x 50




Self-Drive Plasterboard

For Hollow Wall Use



Fixing



Fixing Length 30mm



Typical applications:


Sockets, electrical fittings, light switches, brackets

This great fixing cuts the job in half. Just slot a Self-Drive fixing on to the special driver. With a power drill, the fixing simply drives into the wall. For greater accuracy or when using through heavy wallpaper or skimmed plasterboard use the pilot drill first.


Self-Drive Fixings

Key Features

Fast effective fixing for use in plasterboard



Includes Power-Drill*
& Pilot Drill for added protection




How it Works

Pilot Hole

For improved results drill pilot hole


(For greater accuracy and/or through heavy wall paper or thick skim)



Driver and Fixing

Push fixing fully onto Power-Driver & Insert into drill

Drive fixing flush into wall, at a slow and constant speed




Provided



No.8
4mm




HEAVY
DUTY




Product Pack Options

SSDF557CC Nylon Self Drive Hollow Wall Fixings Clip Pack x 50, includes Drill Bit and Driver




Heavy Duty Plasterboard

For Hollow Wall Use



Fixing



Typical applications:


Shelving units, wooden battens, wall lights, small mirrors

These days, a lot of fixing work is into plasterboard, which is why the Plasplugs range is so good. When the job's more demanding than usual, trade up to these heavy duty fixings. They have a 4-way expanding barrel and twin contracting anchors, which makes a real difference.

Plasterboard Fixings

Key Features

Popular fixing used for securing medium to heavyweight items in plasterboard



Multi-Thread™
Superior Fixing Technology


Multi-Thread technology offers a superior holding power

How it Works

Twin grip action


1 Expanding barrel

2 Contracting fixing with integral screw thread



10mm HSS

No.8
4mm




Product Pack Options

- SHCF553CC Heavy Duty Hollow Wall Fixings Clip Pack x 30
- HCF110 Heavy Duty Hollow Wall Fixings x 10
- HCF113 Heavy Duty Hollow Wall Fixings x 25
- HWH5010 Heavy Duty Hollow Wall Fixings and Screws x 10
- HWH050 Heavy Duty Hollow Wall Fixings 50
- HWH100 Heavy Duty Hollow Wall Fixings x 125




Super Toggle Plasterboard

For Hollow Wall Use



Fixing



Typical applications:

Wall clocks, lamps, shelving units, wall cabinets, bathroom cabinets




Plasterboard comes in various gauges and with skim plaster it varies in depth. That's why Super Toggle Fixings are so good - they adjust to fit all sorts of different materials. Minimum screw length 44.5mm (1¾").

Super Toggle Fixings

Key Features

Expanding wings spread loads over a wide area making the toggle ideal for overhead applications.


The most suitable being lath and plasterboard



How it Works

Adjusts to grip different wall thickness's


From 10mm to 15mm thick walls




10mm HSS


No. 8
4mm


EXTRA
STRONG




Product Pack Options

- SSTC554CC Super Toggle Fixings Clip Pack x 20
- HWST005 Super Toggle Fixings x 5
- HWST010 Super Toggle Fixings x 10
- HWSTS05 Super Toggle Fixings and Screws x 5
- HWSTS10 Super Toggle Fixings and Screws x 10





Solid Wall

For use in: Brick, Concrete, Stone



- Solid wall may be built of brick, dense block or thermal (lightweight) block
 - Identify which type you have by drilling a test hole and examining the drill dust
 - Reddish or yellowish dust shows you have brick walls
 - Dark grey dust (and slow drill progress) shows you have concrete block walls
 - Light grey dust (and easy drill progress) shows you have thermal block walls
 - Sandy dust means you have hit a mortar joint. Drill a second hole about 50mm away from the first and 45° above it to confirm the wall type
-
- See Special Use Packs for using fixings into Thermal Block walls


A wide range for a variety of uses



Unique and innovative fixings

Super Grips™

For Solid Wall Use



Fixings



Fixing Length 26mm



Fixing Length 32mm




Fixing Length 45mm

Typical applications:



Shelving, curtain poles, lighting, hooks and brackets, pictures, mirrors

For general work into solid walls, these fixings are just made for the job. Yellow and red are for regular duty, while the brown fixing is for heavy duty. Certain packs contain fixing screws and the appropriate drill for a ready to go pack.


Yellow Regular Duty Fixings




Red Regular Duty Fixings



Brown Heavy Duty Fixings



How it Works



Product Pack Options

SWYPD015 Yellow Solid Wall Fixings and Screws x 15, includes Drill Bit
 SWYS20 Yellow Solid Wall Fixings and Screws x 20
 SYP501CC Yellow Solid Wall Fixings Clip Pack x 100
 YP475CC Yellow Solid Wall Fixings Clip Pack x 300

SWRPD015 Red Solid Wall Fixings and Screws x 15, includes Drill Bit
 SWRS20 Red Solid Wall Fixings and Screws x 20
 SRP502CC Red Solid Wall Fixings Clip Pack x 100
 RP187CC Red Solid Wall Fixings Clip Pack x 300
 SWRS500 Red Solid Wall Fixings x 500


SWBPD015 Brown Solid Wall Fixings and Screws x 15, includes Drill Bit
 SWBS20 Brown Solid Wall Fixings and Screws x 20
 SBP503CC Brown Solid Wall Fixings Clip Pack x 100
 BP539CC Brown Solid Wall Fixings Clip Pack x 300
 SWBS500 Brown Solid Wall Fixings x 500

SAP505CC Solid Wall Fixings Clip Pack
 (50 yellow, 50 red, 50 brown) x 150




Heavy Duty Concrete & Brick

For Solid Wall Use



Fixing



Fixing Length 32mm

ORIGINALS™



Typical applications:

Shelving, curtain poles, lighting, hooks, brackets, pictures, mirrors

Whether it's for concrete, brick, breeze block or stone, these solid wall fixings are really versatile. You can use them with four screw sizes. Plus, a handy drill depth gauge is included, so you can check the drill hole before you fix.


General Purpose Regular Duty Fixings

Key Features

The common wall fixing. It's durable construction makes these fixings ideal for inside and outside use.



How it Works




Multi-Action Grip

- Expanding barrel
- Barbed jaws
- Anti-rotate ribs




6mm
Masonry



No.6,8,10,12
3.5 - 5.5mm



HEAVY
DUTY




Product Pack Options

SGP550CC Heavy Duty Solid Wall Fixings Clip Pack x 50




Multi-Fix Concrete & Brick

For Solid Wall Use



Fixing



Fixing Length 32mm



Typical applications:

Shelving, curtain poles, lighting, hooks, brackets, pictures, mirrors

Whether it's for concrete, brick, breeze block or stone, these solid wall fixings are really versatile. You can use them with four screw sizes. Plus, a handy drill depth gauge is included, so you can check the drill hole before you fix.

General Purpose Regular Duty Fixings

Key Features


The common wall fixing. It's durable construction makes these fixings ideal for inside and outside use.




How it Works

Multi-Action Grip


- Expanding barrel
- Barbed jaws
- Anti-rotate ribs



6mm
Masonry




No. 6, 8, 10, 12
3.5 - 5.5mm




Product Pack Options

GP600 Regular Duty Solid Wall Fixings Bargain Bin 50 x 40 Packs




Extra Strong Concrete & Brick

For Solid Wall Use



Fixing



ORIGINALS™



Typical applications:


Shelving, curtain poles, lighting, hooks, brackets, pictures, mirrors

If the job is more demanding than usual, trade up to these heavy duty solid wall fixings. Whether it's for concrete, brick, breeze block or stone, they're really versatile. You can use them with four screw sizes. Plus, a handy drill depth gauge is included, so you can check the drill hole before you fix.


Heavy Duty Fixings

Key Features

Heavy duty version of the common wall fixing. It's durable construction makes these fixings ideal for inside and outside use.




How it Works



Multi-Action Grip


- Expanding barrel
- Barbed jaws
- Anti-rotate ribs



7mm
Masonry



No.8, 10, 12, 14
4 - 7mm




Product Pack Options

SBJP551CC Extra Strong Solid Wall Fixings Clip Pack x 50



Heavy Duty Multi-Fix Concrete & Brick

For Solid Wall Use



Fixing



Fixing Length 40mm



Typical applications:


Shelving, curtain poles, lighting, hooks, brackets, pictures, mirrors

If the job is more demanding than usual, trade up to these heavy duty solid wall fixings. Whether it's for concrete, brick, breeze block or stone, they're really versatile. You can use them with four screw sizes. Plus, a handy drill depth gauge is included, so you can check the drill hole before you fix.

Heavy Duty Fixings

Key Features


Heavy duty version of the common wall fixing. It's durable construction makes these fixings ideal for inside and outside use.



How it Works

Multi-Action Grip


- Expanding barrel
- Barbed jaws
- Anti-rotate ribs



7mm
Masonry



No.8, 10, 12, 14
4 - 7mm




Product Pack Options

BJP700 Heavy Duty Solid Wall Fixings Bargain Bin Fixings 50 x 20 Packs



All-in-One

For use in: Plasterboard, Cavity & Partition Wall, Brick, Concrete, Stone



- Unique multi-purpose plug that will fix into both hollow and solid walls
- Also includes drill and screw gauges in the centre of the pack to make it even easier to complete your task
- Simply slot your drill bit or screw into the relevant hole on the gauge to check you are using the correct size for the fixing you have selected

4 Different Sizes - 52 Fixings





8 x 5mm
Regular Duty

20 x 6.5mm
Regular Duty

16 x 8mm
Heavy Duty

8 x 10mm
Extra Strong


A wide range for a variety of uses







Unique and innovative fixings

All-in-One

For Hollow Wall and Solid Wall Use



Fixings




Typical applications:

Shelving, curtain poles, lighting, hooks, brackets, pictures, mirrors

The Complete Solution

Plasterboard




Concrete & Brick



How it Works

Plasterboard


- Expanding barrel
- Contracting fixing with integral screw thread



Concrete & Brick

Multi-Action Grip

- Expanding barrel
- Barbed jaws
- Anti-rotate ribs




Product Pack Options

- MFA500CC All-in-One Fixings Clip Pack (4 sizes) x 52
- MFA156CC All-in-One Fixings Clip Pack (4 sizes) x 156
- MFA520 All-in-One Fixings (4 sizes) x 20
- MFA5610 All-in-One Fixings and Screws (6.5mm) x 10
- MFA620 All-in-One Fixings (6.5mm) x 20
- MFA650 All-in-One Fixings Clip Pack (6.5mm) x 50
- MFA800 All-in-One Fixings Clip Pack (8mm) x 42
- MFA5810 All-in-One Fixings and Screws (8mm) x 10
- MFA820 All-in-One Fixings (8mm) x 20




Special Use

Thermal Block Fixing, Hollow Door Fixings and Door Hooks



- The Special Use category contains a range of problem solving products developed over many years for specific tasks.
- As building regulations are becoming more stringent, Thermal Block is being used more frequently.
- It is likely to be found in post 1960's buildings making up the inner skin of the walls. The block's thermal and acoustic properties derive from the mix of (power station) ash, sand and cement. Due to its "crumbly" nature, fixings have developed specifically for Thermal Block and are designed to grip the material much more efficiently than standard wall plugs. Thermal Block can easily be drilled using a HSS drill bit, making it easy to distinguish from solid concrete block ("breeze block") which requires a masonry drill.
- Hollow core doors are valued for their affordability and ease of installation. Despite their lightweight nature, these doors offer adequate sound insulation and privacy for interior spaces.
- The Special Use Hollow Door Fixings and the Single Door Hook are the ideal Fixings for these types of door. Also ideal for hollow partitions, plywood and fibreglass.

A wide range for a variety of uses




Unique and innovative fixings



Unique and innovative fixings

Thermal Block

For use in: Lightweight, Aircrete & Aerated Block, Thermalite®, Celcon®



Fixing



Fixing Length 32mm



Typical applications:


All light to heavyweight items in Thermal Block

This great fixing cuts the job in half. Just slot a Self-Drive fixing on to the special driver. With a power drill, the fixing simply drives into the wall. For greater accuracy or when using through heavy wallpaper or skimmed plasterboard use the pilot drill first.


Thermal Block Fixing

Key Features


This plug cuts its own thread in Thermal Block to give a superior grip within the "crumbly" material



Includes Power-Driver for fast fixing



How it Works



Provided



No.10
5mm



HEAVY
DUTY



Product Pack Options

SSCP558CC Thermal Block Fixings Clip Pack x 40, includes Drill Bit and Driver



Hollow Door

Hollow Door Fixing: For use in: Hollow Doors, Door Hooks



Fixing



Fixing Length 24mm



Typical applications:


Decorative hooks and hangers, door blinds, curtains

Fitting coat hooks, nameplates and other fixtures to the narrow gauge of hollow doors and panels needs a very specialised fixing. These tough compact fixings have a rivet type action that grips the inside of the panel. Plus, for a precise start, the triple-point drill bit provides a clean accurate hole for the fixing to fit in.

Hollow Door Fixings

Key Features

Expanding wings grip securely in hollow doors, thin skin partitions, plywood and fibreglass. Ideal for the home, boat and caravan



Multi-Thread™
Superior Fixing Technology


Multi-Thread technology offers a superior holding power

Includes Triple-Point Wood Drill



How it Works

- Integral screw thread



Provided



No. 6
3.5mm



REGULAR
DUTY

Product Pack Options

- SDR556CC Hollow Door Fixings Clip Pack x 20, includes Drill Bit
DR106 Hollow Door Fixings x 5
DR308 Hollow Door Fixings x 10



Single Hook

For use in: Hollow Doors and Partitions



Fixing



Typical applications:


Hollow doors, thin skin partitions, plywood, fibreglass

Ideal for the home, boat and caravan.

Hollow Door Fixings


Key Features

Expanding wings grip securely in hollow doors, thin skin partitions, plywood and fibreglass. Ideal for the home, boat and caravan



How it Works

- Integral fixing & screw





























Product Pack Options

HW124 Single Hook x 1



Specifications and Comparisons

Product	Standard Plasterboard	Multi-Size Plasterboard	Self-Drive Plasterboard	Heavy Duty Plasterboard	Super Toggle Plasterboard	SuperGrips Solid Wall
Product						
Recommended Weight Usage						
Wall Type	Hollow	Hollow	Hollow	Hollow	Hollow	Solid
Clip Pack	●	●	●	●	●	●
Clip Pack Quantity	50	50 Variety	50	30	20	100 150 Variety
Clip Pack Drill Included			●			
Clip Pack Drill & Screw Gauge Included	●					●
Clip Pack Power Driver Included			●			
Clip Pack Depth Gauge Included		●				
Bargain Bin						
Bargain Bin Quantity						
Drill Size	7mm HSS	7mm HSS	Pilot Drill Included	10mm HSS	10mm HSS	5, 6, 7mm Masonry
Screw Size	No.8 4mm	No.8 4mm	No.8 4mm	No.8 4mm	No.8 4mm	No.4 - 14 3mm - 7mm

Heavy Duty Concrete & Brick	Multi-Fix Concrete & Brick	Ultra Strong Concrete & Brick	Heavy Duty Multi-Fix Concrete & Brick	All-in-One	Thermal Block	Hollow Door
						
						
Solid	Solid	Solid	Solid	Hollow & Solid	Thermal Block	Hollow Door
•		•		•	•	•
50		50		52 Variety	40	20
•		•		•	•	•
	•		•		•	
	50 40 Packs		50 20 Packs			
6mm Masonry	6mm Masonry	7mm Masonry	7mm Masonry	Various HSS and/or Masonry	Provided Drill	Provided Drill
No.6 - 12 3.5mm - 5.5mm	No.6 - 12 3.5mm - 5.5mm	No.8 - 14 4mm - 7mm	No.8 - 14 4mm - 7mm	No.8 4mm	No.10 5mm	No.6 3.5mm

PLASPLUGS[®]

Wall Fixings





...Make it easy

Hollow Wall Fixings

Solid Wall Fixings

All-in-One Fixings

Special Use Fixings

 The Maltsters, Wetmore Road, Burton upon Trent, DE14 1LS
 01283 245 430
 sales@qepuk.com
 plasplugs.com



A DIVISION OF
QEP